




Cyklon type CY 500 - 1500 inkl. 40L-støvbeholder:




| Type | Varenr. Venstre indløb | A | B | C | D | E | F |
|---------|------------------------------|------|------|------|-----|------|-----|
| CY 500 | 04 330 000 | ø300 | ø100 | 1433 | 181 | 1311 | 100 |
| CY 1000 | 04 331 000 | ø375 | ø125 | 1498 | 216 | 1364 | 125 |
| CY 1500 | 04 332 000 | ø500 | ø160 | 1606 | 273 | 1454 | 170 |

Cyklon type CY 2000 - 4000 inkl. 72L-støvbeholder:




A-A (1 : 25)
Footprint




| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H |
|---------|---------------------------|------|------|------|------|------|-----|------|------|
| CY 2000 | 04 333 000 | 1603 | 653 | 653 | ø200 | ø200 | 99 | 1421 | ø600 |
| CY 3000 | 04 334 600 | 1733 | 804 | 804 | ø250 | ø250 | 124 | 1526 | ø750 |
| CY 4000 | 04 335 600 | 1926 | 1004 | 1004 | ø315 | ø315 | 156 | 1669 | ø950 |

Cyklon type CY 2000 - 4000 inkl. 150L-støvbeholder:




A-A (1 : 25)
Footprint





| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H |
|---------|---------------------------|------|------|------|------|------|-----|------|------|
| CY 2000 | 04 333 100 | 1931 | 653 | 653 | ø200 | ø200 | 99 | 1749 | ø600 |
| CY 3000 | 04 334 100 | 2061 | 804 | 804 | ø250 | ø250 | 124 | 1854 | ø750 |
| CY 4000 | 04 335 100 | 2254 | 1004 | 1004 | ø315 | ø315 | 156 | 1997 | ø950 |

Cyklon type CY 2000 - 4000 inkl. 380L-sækkestativ:





| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H |
|---------|---------------------------|------|------|------|------|------|-----|------|------|
| CY 2000 | 04 333 200 | 2421 | 653 | 653 | ø200 | ø200 | 99 | 2239 | ø600 |
| CY 3000 | 04 334 200 | 2551 | 804 | 804 | ø250 | ø250 | 124 | 2344 | ø750 |
| CY 4000 | 04 335 200 | 2744 | 1004 | 1004 | ø315 | ø315 | 156 | 2487 | ø950 |

Cyklon type CY-B 2000 - 4000 for bigbag:



A-A
Foot-print
(1:25)






| Type ^{1) + 2)} | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|-------------------------|---------------------------|------|------|------|------|------|-----|------|-----|-----|-----|-----|
| CY-B 2000 | 04 333 480 | 1590 | 653 | ø600 | ø200 | ø200 | 99 | 1417 | 552 | 552 | 396 | 396 |
| CY-B 3000 | 04 334 480 | 1730 | 804 | ø750 | ø250 | ø250 | 124 | 1523 | 658 | 658 | 502 | 502 |
| CY-B 4000 | 04 335 480 | 1923 | 1004 | ø950 | ø315 | ø315 | 157 | 1666 | 799 | 799 | 644 | 644 |

¹⁾ Skal suppleres med udstyr for tryklos udmadning.


²⁾ Udløb ø400mm

Cyklon type CY 8000 - 12000 inkl. 72L-støvbeholder:






| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|----------|---------------------------|------|------|-------|------|------|-----|------|------|------|------|------|
| CY 8000 | 04 339 600 | 2110 | 1254 | ø1200 | ø400 | ø400 | 199 | 1843 | 981 | 981 | 826 | 826 |
| CY 12000 | 04 339 800 | 2367 | 1555 | ø1500 | ø500 | ø500 | 249 | 2053 | 1195 | 1195 | 1039 | 1039 |

Cyklon type CY 8000 - 12000 inkl. 150L-støvbeholder:




| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|----------|---------------------------|------|------|-------|------|------|-----|------|------|------|------|------|
| CY 8000 | 04 339 700 | 2438 | 1254 | ø1200 | ø400 | ø400 | 199 | 2171 | 981 | 981 | 826 | 826 |
| CY 12000 | 04 339 900 | 2698 | 1555 | ø1500 | ø500 | ø500 | 249 | 2384 | 1195 | 1195 | 1039 | 1039 |

Cyklon type CY 22000 - 30000 inkl. 72L-støvbeholder:






| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|----------|---------------------------|------|------|-------|------|------|-----|------|------|------|------|------|
| CY 22000 | 04 285 000 | 2945 | 1930 | ø1850 | ø630 | ø630 | 314 | 2528 | 1363 | 1363 | 1165 | 1165 |
| CY 30000 | 04 285 200 | 3287 | 2230 | ø2150 | ø710 | ø710 | 354 | 2839 | 1580 | 1582 | 1382 | 1386 |

Cyklon type CY 22000 - 30000 inkl. 150L-støvbeholder:





| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|----------|---------------------------|------|------|-------|------|------|-----|------|------|------|------|------|
| CY 22000 | 04 285 100 | 3275 | 1930 | ø1850 | ø630 | ø630 | 314 | 2858 | 1368 | 1368 | 1170 | 1170 |
| CY 30000 | 04 285 300 | 3617 | 2230 | ø2150 | ø710 | ø710 | 354 | 3169 | 1580 | 1580 | 1382 | 1382 |

Cyklon type CY-V 1000-2000 inkl. 67L-støvbeholder:




| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H |
|-----------|---------------------------|------|-----|-----|------|------|-----|------|------|
| CY-V 1000 | 04 331 350 | 1557 | 426 | 426 | ø127 | ø127 | 64 | 1423 | ø375 |
| CY-V 2000 | 04 333 350 | 1634 | 653 | 653 | ø203 | ø203 | 127 | 1421 | ø600 |

Cyklon type CY-V 1000 - 2000 inkl. 145L-støvbeholder:







B-B (1:20)
FOOTPRINT



| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H |
|-----------|---------------------------|------|-----|-----|------|------|-----|------|------|
| CY-V 1000 | 04 331 750 | 1893 | 426 | 426 | ø127 | ø127 | 64 | 1758 | ø375 |
| CY-V 2000 | 04 333 750 | 1962 | 653 | 653 | ø203 | ø203 | 127 | 1749 | ø600 |

Cyklon type CY-B-V 1000 - 2000 for bigbag:





| Type ¹⁾ | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K | L |
|---------------------------|---------------------------|------|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|
| CY-B-V 1000 ²⁾ | 04 331 550 | 1557 | 426 | 426 | ø127 | ø127 | 64 | 1423 | ø375 | 562 | 562 | 407 | 407 |
| CY-B-V 2000 ³⁾ | 04 333 550 | 1630 | 653 | 653 | ø203 | ø203 | 127 | 1417 | ø600 | 552 | 552 | 396 | 396 |

¹⁾ Skal suppleres med udstyr for trykløs udmadning.


²⁾ Udløb ø200mm

³⁾ Udløb ø400mm

Cyklon type CY-V 3000-4000 inkl. 67L-støvbeholder:





A-A (1 : 30)
Footprint




| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H |
|-----------|---------------------------|------|------|------|------|------|-----|------|------|
| CY-V 3000 | 04 334 350 | 1761 | 805 | 805 | ø250 | ø250 | 151 | 1526 | ø750 |
| CY-V 4000 | 04 335 350 | 1938 | 1005 | 1005 | ø315 | ø315 | 184 | 1669 | ø950 |

Cyklon type CY-V 3000 - 4000 inkl. 145L-støvbeholder:






A-A (1 : 30)
Footprint





| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H |
|-----------|---------------------------|------|------|------|------|------|-----|------|------|
| CY-V 3000 | 04 334 750 | 2088 | 805 | 805 | ø250 | ø250 | 151 | 1854 | ø750 |
| CY-V 4000 | 04 335 750 | 2266 | 1005 | 1005 | ø315 | ø315 | 184 | 1997 | ø950 |

Cyklon type CY-V 8000 inkl. 67L-støvbeholder:







| Type | Varenr. Venstre indløb |
|-----------|---------------------------|
| CY-V 8000 | 04 339 350 |

Cyklon type CY-V 8000 inkl. 145L-støvbeholder:



| Type | Varenr. Venstre indløb |
|-----------|---------------------------|
| CY-V 8000 | 04 339 780 |


Cyklon type CY-B-V 3000 - 8000 for bigbag:



| Type ^{1) + 2)} | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K | L |
|-------------------------|---------------------------|------|------|------|------|------|-----|------|-------|-----|-----|-----|-----|
| CY-B-V 3000 | 04 334 550 | 1760 | 804 | 805 | ∅250 | ∅250 | 151 | 1523 | ∅750 | 658 | 658 | 502 | 502 |
| CY-B-V 4000 | 04 335 550 | 1935 | 1004 | 1031 | ∅315 | ∅315 | 184 | 1666 | ∅950 | 799 | 799 | 643 | 643 |
| CY-B-V 8000 | 04 339 550 | 2151 | 1254 | 1281 | ∅400 | ∅400 | 226 | 1843 | ∅1200 | 983 | 983 | 826 | 826 |




¹⁾ Skal suppleres med udstyr for tryklos udmadning.
²⁾ Udløb ∅400mm

Cyklon type LCY 160 - 250 inkl. 72L-støvbeholder:




| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|---------|---------------------------|------|------|-------|------|------|-----|------|------|------|------|------|
| LCY 160 | 04 286 000 | 1919 | 1004 | ø950 | ø160 | ø315 | 79 | 1724 | 919 | 669 | 754 | 528 |
| LCY 200 | 04 286 200 | 2136 | 1254 | ø1200 | ø200 | ø400 | 100 | 1920 | 1124 | 812 | 958 | 671 |
| LCY 250 | 04 286 400 | 2367 | 1555 | ø1500 | ø250 | ø500 | 124 | 2153 | 1195 | 1195 | 1039 | 1039 |

Cyklon type LCY 315 - 400 inkl. 72L-støvbeholder:




| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|---------|---------------------------|------|------|-------|------|------|-----|------|------|------|------|------|
| LCY 315 | 04 286 600 | 2963 | 1930 | ø1850 | ø315 | ø630 | 156 | 2686 | 1362 | 1363 | 1165 | 1168 |
| LCY 400 | 04 286 800 | 3275 | 2230 | ø2150 | ø400 | ø800 | 200 | 2982 | 1580 | 1580 | 1382 | 1382 |

Cyklon type LCY 160 - 250 inkl. 150L-støvbeholder:



| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|---------|---------------------------|------|------|-------|------|------|-----|------|------|------|------|------|
| LCY 160 | 04 286 040 | 2249 | 1004 | ø950 | ø160 | ø315 | 79 | 2054 | 919 | 669 | 754 | 528 |
| LCY 200 | 04 286 240 | 2466 | 1254 | ø1200 | ø200 | ø400 | 100 | 2250 | 1124 | 812 | 958 | 671 |
| LCY 250 | 04 286 440 | 2697 | 1555 | ø1500 | ø250 | ø500 | 124 | 2483 | 1195 | 1195 | 1039 | 1039 |

Cyklon type LCY 315 - 400 inkl. 150L-støvbeholder:



| Type | Varenr. Venstre indløb | A | B | C | D | E | F | G | H | I | J | K |
|---------|---------------------------|------|------|-------|------|------|-----|------|------|------|------|------|
| LCY 315 | 04 286 640 | 3293 | 1930 | ø1850 | ø315 | ø630 | 156 | 3016 | 1371 | 1371 | 1173 | 1173 |
| LCY 400 | 04 286 840 | 3605 | 2230 | ø2150 | ø400 | ø800 | 200 | 3312 | 1580 | 1580 | 1382 | 1382 |